



Memory 1 Notes:

Manufacturer:
 $f(s) = 45.09 \text{ Hz}$
 $Q(ms) = 6.417$
 $V(as) = 174.30 \text{ liters (6.156 cubic feet)}$
 $n(0) = 0.83 \%$
 $M(ms) = 53.45 \text{ grams}$

Model:
 $R(e) = 12.50 \text{ Ohms}$
 $Q(es) = 1.828$
 $SPL = 91.31 \text{ dB SPL } 1W/1m$
 $C(ms) = 0.23 \text{ mm/N}$

Piston Diameter = 304.8 mm
 $Z(max) = 56.40 \text{ Ohms}$
 $Q(ts) = 1.423$
 $L(e) = 0.88 \text{ mH}$
 $BL = 10.18$

Memory 4 Notes:

Manufacturer:
 $f(s) = 45.09 \text{ Hz}$
 $Q(ms) = 3.533$
 $V(as) = 160.30 \text{ liters (5.660 cubic feet)}$
 $n(0) = 0.73 \%$
 $M(ms) = 58.13 \text{ grams}$

Model:
 $R(e) = 11.81 \text{ Ohms}$
 $Q(es) = 1.916$
 $SPL = 90.74 \text{ dB SPL } 1W/1m$
 $C(ms) = 0.21 \text{ mm/N}$

Piston Diameter = 304.8 mm
 $Z(max) = 33.57 \text{ Ohms}$
 $Q(ts) = 1.242$
 $L(e) = 0.82 \text{ mH}$
 $BL = 10.08$

Victor Enterprises

Measurements by: **Victor Androsenko**

Title: